

Amendments to the Claims:

Please amend claims 1 and 8 as follows. The following listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

Claim 1 (Currently Amended). A method for processing digital communication traffic in a network comprising a central communication processing structure including a communication server and a system server and a number of distributed devices of
5 users designed for communication with the central communication processing structure, comprising:

the communication server receiving a communication coming from one of the distributed devices which communication is addressed to another one of the distributed devices, the
10 communication comprising a header including sender address information and receiver address information, and message content which includes a user inserted code, in reaction to detecting the user inserted code in the message content of the received communication, sending the communication to the system server;

15 wherein when the user inserted code is not detected,
bypassing the system server and sending the communication
directly to a recipient device;

the system server checking whether the received
communication meets at least one condition applicable to the
20 communication or the sender;

adding a message to the communication based upon the user
inserted code included in the communication in reaction to
meeting the condition; [[and]]

25 sending the communication including the added message to the
communication server; and

the communication server receiving back the communication
from the system server and sending the communication which has
been received back to the addressed device.

Claim 2 (Previously Presented). A method according to claim
1, wherein the check comprises: checking whether a coding of the
device from which the received communication has been received
meets a criterion.

Claim 3 (Previously Presented). A method according to claim 1, wherein the check comprises: selecting a message from a number of messages depending on the result of the check.

Claim 4 (Previously Presented). A method according to claim 3, wherein selecting a message from a number of messages takes place depending on the user inserted code in the received communication.

Claim 5 (Previously Presented). A method according to claim 3, wherein selecting takes place depending on variable data determined upon sending the communication which relate to the sender or the recipient, such as date and/or time and/or location of the sender or the recipient.

Claim 6 (Previously Presented). A method according to claims 3, wherein selecting takes place depending on data stored in advance related to the sender or the recipient.

Claim 7 (Previously Presented). A method according to claim 1, further comprising registering, for at least a number of the devices or users, data related to sent communications and the

messages added to them for each device or each user separately,
5 and recording data in at least one payment file depending on
mutations of data related to sent communications and the messages
added to them.

Claim 8 (Currently Amended). A communication processing
~~structures~~ structure for processing digital communication traffic
in a network, which communication processing structure comprises
a communication server and a system server, and is designed for:
5 communication with a number of distributed devices of users;
wherein the communication server is designed for each time
receiving a communication coming from one of the distributed
devices, which communication is addressed to another one of the
distributed devices, the communication comprising a header
10 including sender address information and receiver address
information, and message content which includes a user inserted
code, and, each time, in reaction to detecting the user inserted
code in the message content of the communication, sending the
communication to the system server;
15 wherein when the user inserted code is not detected,
bypassing the system server and sending the communication
directly to a recipient's device;

wherein the system server is designed for, each time
checking whether the received communication meets at least one
20 condition applicable to the communication or the sender,

each time adding a message to the communication based upon
the user inserted code included in the communication in reaction
to meeting the conditions, and

25 each time sending the communication including the added
message to the communication server;

wherein the communication server is designed for, each time
receiving back a communication from the system server and for,
each time, sending the communications which has been received
back from the system server to the addressed device.

Claim 9 (Cancelled).

Claim 10 (Cancelled).